

International Specialists in the Environment 2101 Fourth Avenue, Suite 1900, Seattle, WA 98121

Tel: (206) 624-9537, Fax: (206) 621-9832

MEMORANDUM

DATE:

January 21, 2004

TO:

Renee Nordeen, Project Manager, E & E, Seattle, WA

FROM:

Mark Woodke, START-Chemist, E & E, Seattle, WA

SUBJ:

Inorganic Data Quality Summary Check, Gorst Creek-Bremerton Auto

Wrecking Integrated Assessment, Bremerton, Washington

REF:

TDD: 03-07-0009

PAN: 001281.0291.01IA

The data quality assurance summary check of 7 water samples collected from the Gorst Creek-Bremerton Auto Wrecking site in Bremerton, Washington, has been completed. Target Analyte List (TAL) metals analyses (EPA CLP SOW ILM04.1) were performed by the Chemtech Consulting Group of Mountainside, New Jersey.

The samples were numbered:

MJ2789

MJ2790

MJ2791

MJ2792

MJ2795

MJ2798

MJ27B4

The secondary reviewer added the (J) qualifier to sample results (B) that were only qualified based on concentration. The (JB) qualifiers were placed in the "Q" column of the Form I for clarity.

Sample results qualified (B) by the laboratory to indicate a result less than the contract required quantitation limit but greater than the instrument detection limit that also had additional data or bias qualifiers applied by the EPA validator were changed to (JB) by the secondary reviewer for clarity. All results qualified (B) by the laboratory are considered non-detect for Hazard Ranking System purposes.

No validation discrepancies were noted.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 10

1200 Sixth Avenue Seattle, Washington 98101

January 15, 2004

Reply To

Attn. Of: OEA-095

MEMORANDUM

SUBJECT: Data Validation for Gorst Creek PA/SI,

Case# 32364, SDG: MJ27B4, Inorganic Analyses

FROM: Donald Matheny, Senior Chemist

Technical Support Unit, OEA

TO: Joanne LaBaw, Site Assessment Manager

Office of Environmental Cleanup

CC: Bruce Woods, Region 10 CLP TPO

The data validation of inorganic analyses for the above sample set is complete. Seven (7) water samples were analyzed for metals by the Chemtech Consulting Group, Mountainside, New Jersey. Sample numbers for this delivery group are as follows:

MJ2789 MJ2790 MJ2791 MJ2792 MJ2795

MJ2798 MJ27B4

DATA QUALIFICATIONS

The following comments refer to Chemtech's performance in meeting quality control specifications outlined in the "CLP Statement of Work (CLP-SOW) for Inorganic Analysis, rev. ILM04.1", the "USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review, EPA-540/R-94-013" and the judgement of the reviewer. The comments presented herein are based on the information provided for the review.

1.0 TIMELINESS - Acceptable

The holding time from the date of collection to the date of digestion and analyses were met for all metals (metals 180 days, mercury 28 days). Samples were collected on 11/10/03 thru 11/12/03. ICP-AES analysis was conducted on 11/25/03 and mercury on 11/26/03.

2.0 INSTRUMENT CALIBRATION/VERIFICTION - Acceptable

For ICP-AES analysis, instrument calibration was performed in accordance with method requirements. Recoveries for instrument verification standards (92-107%) met the frequency (10%) and recovery (90-110%) criteria.

For mercury analysis, the instrument was calibrated with a blank and five standards. The correlation coefficient (0.999) met the criterion (≥ 0.995) . Recoveries for verification standards (97-115%) met the frequency (10%) and recovery (80-120%) criteria.

Quantitation verification standards met both the frequency and recovery criteria for all analytes.

3.0 ICP-AES INTERFERENCE CHECK SAMPLE (ICS) - Acceptable

An ICS was analyzed at the beginning and end of each analytical run. ICS recoveries (81-116%) met the recovery criterion (80-120%) for all metals.

4.0 LABORATORY CONTROL SAMPLES (LCS) - Acceptable

All metals recoveries (90-107%) for the LCS were within the established control limits (80-120%).

5.0 BLANKS

Preparation and instrument control blanks were prepared and analyzed in accordance with method requirements. Blank results were either non-detected or below a factor that could impact analytical sample results for all elements with the exception of cobalt, potassium, sodium, barium, lead and zinc. Affected sample results were qualified "U".

6.0 MATRIX SPIKE ANALYSIS

A matrix spike analysis was performed for sample MJ2790. Percent recoveries (77-9%) met the recovery criterion (75-125%) with the exception of selenium (74%) and silver (66%). Selenium and silver values were qualified "UJ" with a low bias.

7.0 DUPLICATE SAMPLE ANALYSIS

A duplicate sample analysis was performed for sample MJ2790. Relative percent differences were within \pm 20% or \pm CRDL with the exception of mercury. Mercury values were qualified "J" or "UJ".

8.0 ICP-AES SERIAL DILUTION - Acceptable

A five-fold serial dilution was performed for sample MJ2790. Percent differences (0-4%) were within the control criterion (< 10%).

9.0 ASSESSMENT SUMMARY

The following is a summary of qualified data: The (J) qualifier applied by the laboratory, represents results that are estimated. These values fall within a concentration range that is above the method detection limit but below the laboratory's quantitation limit. Some values for cobalt, potassium, sodium, barium, lead and zinc were qualified "U" due to the detected presence of these elements in preparation and/or instrument control blanks. Selenium and silver values were qualified "UJ" due to low recoveries in the matrix spike. Selenium and silver values may be biased low. Mercury values were qualified due to variability associated with the duplicate sample result. Bias for mercury values is undetermined.

DATA QUALIFIERS

- U The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit.
- J The associated value is an estimated quantity.
- R The data are unusable. The analyte may or may not be present in the sample.
- UJ The analyte was analyzed for, but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

PROJECT SPECIFIC DATA QUALIFIERS:

- L Low bias.
- H High bias.
- K Unknown Bias.

EPA SAMPLE NO.

MJ2789

Lab Name: CHEMTECH CONSULTING GROUP Contract: 68-W0-0089

Lab Code: CHEM

Case No.: 32364 SAS No.:

SDG No.: MJ2784

Matrix (soil/water): WATER

Lab Sample ID: R5089-01

Level (low/med):LOW

Date Received: 11/15/03

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

· · · · · · · · · · · · · · · · · · ·		3				τ '
Cas No.	Analyte	Concentration	С	Q	M	
7429-90-5	Aluminum	27.7	ō		P	
7440-36-0	Antimony	9.2	σ		P	
7440-38-2	Arsenic	5.8	U		P	
7440-39-3	Barium	1.9	U	· u	P	•
7440-41-7	Beryllium	0.10			P	•
7440-43-9	Cadmium	0.70			P	,
7440-70-2	Calcium	76.4		36	P	
7440-47-3	Chromium	1.0	ש	T -	P	
7440-48-4	Cobalt	1.3	ט		P	-
7440-50-8	Copper	1.0	U		P	
7439-89-6	Iron	27.9	U		P	,
7439-92-1	Lead	2.2	125	u	P	-
7439-95-4	Magnesium	39.5	U	-	P	
7439-96-5	Manganese		U		p	II II II
7439-97-6	Mercury	0.34		~ JK	CV	· ·
7440-02-0	Nickel	2.3	U		P	
7440-09-7	Potassium	32.7	ď	u,	p	
7782-49-2	Selenium	3.8	U	MUTL	P	1.
7440-22-4	Silver	1.4	U	JEUTS.	P	
7440-23-5	Sodium	470	U		Þ	
7440-28-0	Thallium	6.8	U		P	1-1-
7440-62-2	Vanadium	0.90	U		P	-
7440-66-6	Zinc	24.8		u	P	,
	Cyanide				NR	
			_			
	` .					

70102	Rafore.	COLORLESS
LUIUI	DETATE	

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

·		
·	•	
x 1.5.	······································	
		

FORM I - IN

EPA SAMPLE NO.

MJ2790

Lab Name: CHEMTECH CONSULTING GROUP Contract: 68-W0-0089

Case No.: 32364 SAS No.:

SDG No.: MJ27B4

Matrix (soil/water): WATER

Lab Sample ID: R5089-02

Level (low/med):LOW

Lab Code: CHEM

Date Received: 11/15/03

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

	_				_	_
CAS No.	Analyte	Concentration	Ċ	.Ō	M	
7429-90-5	Aluminum	111	*	-1 8	┲	
7440-36-0	Antimony	9.2	ט	3	P	
7440-38-2	Arsenic	5.8	U		P	
7440-39-3	Barium	3.3	4	u	P	•
7440-41-7	Beryllium	0.10	Ū		P	
7440-43-9	Cadmium	0.70	ט ו		P	
7440-70-2	Calcium	7460			P	
7440-47-3	Chromium	1.0	ן ס		P	
7440-48-4	Cobalt	1.3	שׁ		P	
7440-50-8	Copper	1.0	Ū	-	Þ	
7439-89-6	Iron	201			P	
7439-92-1	Lead	2.2	ט		Į₽	
7439-95-4	Magnesium	3480	4	· ਹਾਲ 🌐	P	
7439-96-5	Manganese	16.2			Į₽	
7439-97-6	Mercury	0.24		~JK	Ιċν	·.
7440-02-0	Nickel	2.3	U		Į₽.	l .
7440-09-7	Potassium	336	ď.	***	ΙĒ	l r
7782-49-2	Selenium	3.8	U	HUTL	_	
7440-22-4	Silver	1.4	Ū	MUJL	, _P	l
7440-23-5	Sodium	. 3410	20	"LA	P	
7440-28-0	Thallium	6.8	ט	_ ^	Ϊ́₽]
7440-62-2	Vanadium		Ϋ́	5B	ΙÞ	,
7440-66-6	Zinc	24.0		u	P	
	Cyanide				NR.	· .

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

FORM I - IN

EPA SAMPLE NO.

MJ2791

Lab Name: CHEMTECH CONSULTING GROUP Contract: 68-W0-0089

Lab Code: CHEM

Case No.: 32364 SAS No.:

SDG No.: MJ2784

Matrix (soil/water): WATER

Lab Sample ID: R5089-05

Level (low/med):LOW

Date Received: 11/15/03

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

					_
CAS No.	Analyte	Concentration	C	Q	М
7429-90-5	Aluminum	489			P
7440-36-0	Antimony	9.2	U		P
7440-38-2	Arsenic	5.8	Ū		P
7440-39-3	Barium	5.8 6.1 I	2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	p
7440-41-7	Beryllium	0.10		- 0	P
7440-43-9	Cadmium	0.70	U		P
7440-70-2	Calcium	6500	سذعتم		P
7440-47-3	Chromium	2.1	2	T.K	₽
7440-48-4	Cobalt	2,0	2	· K	P
7440-50-8	Copper	2.1	8	TB	p
7439-89-6	Iron	881		90	P
7439-92-1	Lead	4.1		W.	P
7439-95-4	Magnesium	4290	模	~ JB	p
7439-96-5	Manganese	40.0			P
7439-97-6	Mercury	0.20	U	mat K	CV
7440-02-0	Nickel "	2.3	U	•	P
7440-09-7	Potassium	393	變	· W	P
7782-49-2	Selenium	3.8	U	さいてし	P
7440-22-4	Silver	1.4	Ū	MUJL	P
7440-23-5	Sodium	3410	凶	u	P
7440-28-0	Thallium	6.8	U		P
7440-62-2	Vanadium	3.5	B	7B	P
7440-66-6	Zinc	26.6		- 4	P
	Cyanide			•	NR
·					

Color Before: COLORLESS Clarity Before: CLOUDY

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

FORM I - IN

EPA SAMPLE NO.

MJ2792

Lab Name: CHEMTECH CONSULTING GROUP Contract: 68-W0-0089

Lab Code: CHEM

Case No.: 32364

SAS No.:

SDG No.: MJ27B4

Matrix (soil/water): WATER

Lab Sample ID: R5089-06

Level (low/med):LOW

Date Received: 11/15/03

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	С	Q	М
7429-90-5	Aluminum	32.6		7 38	P
7440-36-0	Antimony	9.2	Ü		P
7440-38-2	Arsenic	5.8	U		P
7440-39-3	Barium	8.4	B	1 3 5	P
7440-41-7	Beryllium	0.10	ប		P
7440-43-9	Cadmium				P
7440-70-2	Calcium	2060	U B	άrc	P
7440-47-3	Chromium	1.0	บ	0-	P
7440-48-4	Cobalt	1.3	Ü		P
7440-50-8	Copper	1.0	U	~	p
7439-89-6	Iron	30.0	7	mok .	p
7439-92-1	Lead	2.2	Ū	-	P
7439-95-4	Magnesium	1090	B	~ TB	P
7439-96-5	Manganese	3.1	Ţ	36	P
7439-97-6	Mercury	0.20	17	ZUTK	CV
7440-02-0	Nickel	2.3	U		P
7440-09-7		355	ď,	I.A.	P
7782-49-2	Selenium	3.8	U	MUJL	P
7440-22-4	Silver	1.4	Ü	XUTL	P
7440-23-5		2320	ď	N ST.	p.
7440-28-0		6.8	ט		P
7440-62-2	Vanadium	0.90	U		P
7440-66-6	Zinc	23.5	-		P
	Cyanide				NR
			1		***

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Comments:

FORM I - IN

000007

EPA SAMPLE NO.

MJ2795

Lab Name: CHEMTECH CONSULTING GROUP Contract: 68-W0-0089

Lab Code: CHEM

Case No.: 32364 SAS No.:

SDG No.: MJ27B4

Matrix (soil/water): WATER

Lab Sample ID: R5089-07

Level (low/med):LOW

Date Received: 11/15/03

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration		Q	М	
7429-90-5	Alumizum	198	Ë	'35	P	
7440-36-0	Antimony	9.2	Ū		P	
7440-38-2	Arsenic	5.8	Ū		P	v.
7440-39-3	Barium	12.1	В	78	P	•
7440-41-7	Beryllium	0.10	U	,	P	
7440-43-9	Cadmium	0.70	U		P	•
7440-70-2	Calcium	1970	2%	v JB	P	
7440-47-3	Chromium	1.0	Ü	•	P	4
7440-48-4	Cobalt	1.3	U		P	'
7440-50-8	Copper	1,0	U		₽	
7439-89-6	Iron	270			P	
7439-92-1	Lead	2.2	U,	^	P	
7439-95-4	Magnesium	1180	4	r DR	P	
7439-96-5	Manganese				P	, 12
7439-97-6	Mercury	0,20	ū	"WIK	CV	
7440-02-0	Nickel	2.3	ע [k.	P	-14
7440-09-7	Potassium	372 1	W	· W	P	1
7782-49-2	Selenium	3.8	ש	MUT.	P	•
7440-22-4	Silver	1.4	U	WUJL	P	,
7440-23-5	Sodium	1880	K	ia.	P	•
7440-28-0	Thallium	6.8	U	•	P	
7440-62-2	Vanadium	0.90	U		P	
7440-66-6	Zinc	21.8			P	
•	Cyanide				NR	

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

FORM I - IN

EPA SAMPLE NO.

MJ2798

Lab Name: CHEMTECH CONSULTING GROUP Contract: 68-W0-0089

SDG No.: MJ2784

Lab Code: CHEM

Case No.: 32364 SAS No.:

Matrix (soil/water): WATER

Lab Sample ID: R5089-08

Level (low/med):LOW

Date Received: 11/15/03

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

Analyte	Concentration	С	Q	M
Aluminum Antimony Arsenic	27.7 9.2 5.8	ם ם ם		P P
Barium Beryllium Cadmium	11.1 / 0.10 0.70	13	JB	PPP
Chromium Cobalt	6830 1.0 1.3 1.0	מממ		e e e e e
Iron Lead Magnesium	1220	The Act	135	գոր
Mercury Nickel	11.0 #7 0.20 2.3 404 #	الإطحاط	TRIK	р С Р Р
Selenium Silver Sodium	3.8 1.4 1960	ण व	MU2F MAP	P P
Vanadium Zinc			×	P P P NR
	Aluminum Antimony Arsenic Barium Beryllium Cadmium Calcium Chromium Cobalt Copper Iron Lead Magnesium Manganese Mercury Nickel Potassium Selenium Silver Sodium Thallium Vanadium	Aluminum	Aluminum	Aluminum Antimony Arsenic Barium Beryllium Cadmium Cadmium Calcium Cobalt Copper Iron Iron Lead Magnesium Manganese Mercury Nickel Potassium Selenium Selenium Selenium Silver Sodium Thallium Vanadium Vanadium Zinc 27.7 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0

Color Before: COLORLESS

Clarity Before: CLEAR

Texture:

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

FORM I - IN

EPA SAMPLE NO.

MJ27B4

Lab Name: CHEMTECH CONSULTING GROUP Contract: 68-W0-0089

Lab Code: CHEM

Case No.: 32364

SAS No.:

SDG No.: MJ27B4

Matrix (soil/water): WATER

Lab Sample ID: R5089-09

Level (low/med):LOW

Date Received: 11/15/03

₹ Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	c	Q	M	* .
7429-90-5	Aluminum	8740	-		P	
7440-36-0	Antimony	9.2	U		P	
7440-38-2	Arsenic	5.8	U		P	
7440-39-3	Barium	213			P	
7440-41-7	Beryllium	0.72	B,	JB .	P	
7440-43-9	Cadmium	14.4	^		P	`
7440~70-2	Calcium	21100			p	
7440-47-3	Chromium	93.1	أريرا		P	
7440-48-4	Cobalt	9.6	Ě	u	P	
7440-50-8	Copper	129.			P	
7439-89-6	Iron	36600		1	P	
7439-92-1	Lead	338			p] .
7439-95-4	Magnesium	6270			P	<u>.</u>
7439-96-5	Manganese	524			P	
7439-97-6	Mercury	0.91		ノブル	cv	•
7440-02-0	Nickel	83.8			₽	١,
7440-09-7	Potassium	2800	*	J.B.	P	, ,
7782-49-2	Selenium	3.8	U	ALT.	P	! .
7440-22-4	Silver	1.4	U	W WZL	₽	
7440-23-5	Sodium	123000		;	P	· ·
7440-28-0	Thallium	6.8	U		P	
7440-62-2	Vanadium	19.5	K	70	p	
7440-66-6	Zinc	1050	7	. 40	₽	
	Cyanide			÷	NR.	

Color Before: BROWN

Clarity Before: CLOUDY

Texture:

Color After: YELLOW

Clarity After: CLEAR

Artifacts:

Comments:

FORM I - IN